

## Unabridged Pass4sure Microsoft 70-511 PDF Dumps Free Download (121-130)

QUESTION 121 You are developing a Windows Presentation Foundation (WPF) application. You use the following markup segment to add a Button control to the design surface of the MainWindow.xaml file.

```
<Window x:Class="Sample.MainWindow"
        xmlns="..."
        xmlns:x="...">
  <Grid x:Name="testGrid">
    <Button Command="ApplicationCommands.Copy"
            Content="Copy" />
  </Grid>
</Window>
```

You add the following code segment to the code-behind file for MainWindow.cs.

```
CommandBinding copyCommand =
    new CommandBinding(ApplicationCommands.Copy);
copyCommand.Executed +=
    new ExecutedRoutedEventHandler(copyCommand_Executed);
this.CommandBindings.Add(copyCommand);
```

The application will be deployed in an environment that requires alternate key mappings. You need to remove the CTRL+ C input gesture and replace it with the ALT+ C input gesture. What should you do?

A. Add the following code segment to the MainWindow.xaml file.

```
<Window.InputBindings>
  <KeyBinding Key="C"
              Modifiers="Alt"
              Command="ApplicationCommands.Paste" />
</Window.InputBindings>
```

B. Add the following code segment to the constructor of **MainWindow.cs**.

```
ApplicationCommands.Copy.InputGestures.Clear();
ApplicationCommands.Copy.InputGestures.Add(
    new KeyGesture(Key.C, ModifierKeys.Alt));
```

C. Add the following code segment to the constructor of **MainWindow.cs**.

```
ApplicationCommands.Copy.InputGestures.Clear();
ApplicationCommands.Copy.InputGestures.Add(
    new KeyGesture(Key.C, ModifierKeys.Control));
```

D. Add the following code segment to the MainWindow.xaml file.

```
<Window.InputBindings>
  <KeyBinding Key="C"
              Modifiers="Control"
              Command="ApplicationCommands.Copy" />
</Window.InputBindings>
```

pass4leader.com

Answer: B QUESTION 122 You are developing a Windows Presentation Foundation (WPF) application that displays financial data. The following style is applied to every Label control that displays currency. (Line numbers are included for reference only.)

```
01 <Style x
02 BasedOn
03 TargetT
04 <Sette
05 <Set
06
07 </Se
08 </Sett
09 </Style>
You need to ens
currency.
- It must be
- It must di
Which markup s
```

A. <ControlTemplate>  
 <Label HorizontalAlignment="Right"  
 Content="{Binding StringFormat={}{0:C}}"/>  
</ControlTemplate>

B. <ControlTemplate>  
 <ContentPresenter HorizontalAlignment="Right"  
 ContentStringFormat="{}{0:C}" />  
</ControlTemplate>

C. <ControlTemplate TargetType="{x:Type Label}">  
 <Label HorizontalAlignment="Right"  
 Content="{Binding StringFormat={}{0:C}}"/>  
</ControlTemplate>

D. <ControlTemplate TargetType="{x:Type Label}">  
 <ContentPresenter HorizontalAlignment="Right"  
 ContentStringFormat="{}{0:C}" />  
</ControlTemplate>

pass4leader.com

Answer: A QUESTION 123 You are developing a Windows Presentation Foundation (WPF) application. The application configuration file is maintained in source control and must not be modified. You need to ensure that developers can override individual settings. Which XML segment should you use in the application configuration file?

```
A. <connectionStrings configSource="user.config">
  <add name="OverrideMe" connectionString="..."
    providerName="..." />
  <add name="ShouldNotOverride" connectionString="..."
    providerName="..." />
</connectionStrings>

B. <connectionStrings>
  <add name="OverrideMe" connectionString="..."
    providerName="..." lockItem="false" />
  <add key="ShouldNotOverride" connectionString="..."
    providerName="..." />
</connectionStrings>

C. <appSettings configSource="user.config">
  <add key="OverrideMe" value="..." />
  <add key="ShouldNotOverride" value="..." />
</appSettings>

D. <ControlTemplate TargetType="{x:Type Label}">
  <ContentPresenter HorizontalAlignment="Right"
    ContentStringFormat="{0:C}" />
</ControlTemplate>
```

passleader.com

Answer: D QUESTION 124 You are developing a user control for a Windows Presentation Foundation (WPF) application. The user control contains a button. Both the user control and the hosting control must receive the button click event. You need to ensure that the user control responds to the button click event before the hosting control responds to the event. What should you do?

A. Use a bubbling routed event. In the button click event handler, set the Handled property to True.

B. Use a bubbling routed event. In the button click event handler, set the Handled property to False.

C. Use a standard Microsoft .NET event. Set the Handled property to True. D. Use a tunneling routed event. Set the Handled property to False. Answer: C QUESTION 125 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You write the following code fragment.

```
<StackPanel
  TextBox.PreviewTextInput="StackPanel_PreviewTextInput"> <TextBox Name="TxtBoxA"/> <TextBox Name="TxtBoxB"/>
<TextBox Name="TxtBoxC"/> </StackPanel>
```

You create an event handler named StackPanel\_PreviewTextInput. You also have a collection of strings named Keywords. You need to ensure that TxtBoxA and TxtBoxB do not contain any of the strings in the Keywords collections. Which code segment should you use?

```
A. Private Sub StackPanel_PreviewTextInput(sender As Ctoject, e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(sender, FrameworkElement) If feSource.Name = "TxtBoxA" OrElse feSource.Name = "TxtBoxB" Then For Each keyword As String In Keywords If e.Text.Contains(keyword) Then Handled = False Return End If Next Handled = True End If End Sub
B. Private Sub StackPanel_PreviewTextInput(sender As Object e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(e.Source, FrameworkElement) If feSource.Name = "TxtBoxA" OrElse feSource.Name = "TxtBoxB" Then For Each keyword As String In Keywords If e.Text.Contains(keyword) Then e.Handled = False Return End If Next Handled = True End If End Sub
C. Private Sub StackPanel_PreviewTextInput(sender As Object, e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(sender, FrameworkElement) If feSource.Name = "TxtBoxA" OrElse feSource.Name = "TxtBoxB" Then For Each keyword As String In Keywords If e.Text.Contains(keyword) Then e.Handled = True Return End If Next Handled = False End If End Sub
D. Private Sub StackPanel_PreviewTextInput(sender As Ctoject, e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(e.Source, FrameworkElement) If feSource.Name = "TxtBoxA" OrElse feSource.Name = "TxtBoxB" Then For Each keyword As String In Keywords If e.Text.Contains(keyword) Then e.Handled = True Return End If Next Handled = False End If End Sub
```

Answer: D QUESTION 126 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. The application displays a list of books. You write the following code fragment. (Line numbers are included for reference only.)

```
01 <Window.Resources>
02   <XmlDataProvider x:Key="InventoryData" XPath="Books">
03     <x:XData>
04       <Books >
05         <Book Title="XML in Action" Stock="in" />
06         <Book Title="Inside C#" Stock="out" />
07         <Book Title="Introducing Microsoft .NET" Stock="in"/>
08       </Books>
09     </x:XData>
10   </XmlDataProvider>
11   <Style x:Key="MyItemStyle" TargetType="{x:Type ListBoxItem}">
12
13   </Style>
14 </Window.Resources>
15 <ListBox ItemContainerStyle="{StaticResource MyItemStyle}">
16   <ListBox.ItemsSource>
17     <Binding Source="{StaticResource InventoryData}" XPath="Book"/>
18   </ListBox.ItemsSource>
19   <ListBox.ItemTemplate>
20     <DataTemplate>
21       <TextBlock>
22         <TextBlock.Text>
23           <Binding XPath="@Title"/>
24         </TextBlock.Text>
25       </TextBlock>
26     </DataTemplate>
27   </ListBox.ItemTemplate>
28 </ListBox>
```

passleader.com

You need to ensure that book titles that are out of stock appear in red. Which code fragment should you insert at line 12?

A. `<Style.Triggers> <Trigger Binding.XmlNamespaceManager=" " < Binding XPath=GStock>" Value="out"> <Setter Property="Foreground" Value="Red" /> </Trigger> </Style.Triggers>` B. `<Style.Triggers> <DataTrigger Binding="{Binding XPath=@Stock}" Value="out"> <Setter Property="Foreground" Value="Red" /> </DataTrigger> </Style.Triggers>` C. `<Style.Triggers> <Trigger Binding.XmlNamespaceManager="{Binding XPath=Book@Stock}" Value="out"> <Setter Property="Foreground" Value="Red" /> </Trigger> </Style.Triggers>` D. `<Style.Triggers> <DataTrigger Binding="Binding XPath=Book@Stock}" Value="out"> <Setter Property="Foreground" Value="Red" /> </DataTrigger> </Style.Triggers>`

Answer: B

QUESTION 127 You are developing a Windows Presentation Foundation (WPF) application. You have the following style defined in the app.xaml file. `<Style x:Key="btnItalic" x:Name="styleItalic" TargetType="{ x:Type Button}"> Setter Property="FontStyle" Value="Italic"/> </Style>` You need to apply this style to a button named button1 in the application at run time. Which code segment should you use?

A. `button1.Style = TryCast(Me.FindName("styleItalic"),Style)` B. `button1.Style = TryCast(Me.FindName("btnItalic"), Style)` C. `button1.Style = TryCast(Me.FindResource("btnItalic"), Style)` D. `button1.Style = TryCast(Me.FindResource("styleItalic"), Style)`

Answer: C

QUESTION 128 You use Microsoft .NET Framework 4 to create a Windows Presentation Framework (WPF) application. You plan to create a custom control that contains four text input fields. Each of the text input fields within the control will contain a label. You need to ensure that the text input fields within the control can be validated by using a regular expression Validator. Which class should you inherit from?

A. `TextBox` B. `TextElement` C. `UIElement` D. `UserControl`

Answer: D

QUESTION 129 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You write the following code fragment. (Line numbers are included for reference only.)

```
01 <Canvas>
02 <Rectangle Stroke="Red"
03   StrokeThickness="5" Height="60"
04   Width="60" Canvas.Left="100" Canvas.Top="100">
05 </Rectangle>
06 </Canvas>
```

You need to rotate the rectangle by 45 degrees by using its upper-left corner as the axis. Which code fragment should you insert at line 04?

A. `<Rectangle.RenderTransform> <RotateTransform Angle="45" CenterX="0" CenterY="0" /> </Rectangle.RenderTransform>` B. `<Rectangle.RenderTransform> <RotateTransform Angle="45" CenterX="100" CenterY="100" /> </Rectangle.RenderTransform>` C. `<Rectangle.LayoutTransform> <RotateTransform Angle="45" CenterX="0" CenterY="0"/> </Rectangle.LayoutTransform>` D. `<Rectangle.LayoutTransform> <RotateTransform Angle="45" CenterX="100" CenterY="100"/> </Rectangle.LayoutTransform>`

Answer: A

QUESTION 130 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You write the following code fragment. (Line numbers are included for reference only.)

```
01 <StackPanel>
02   <StackPanel.Resources>
03     <ControlTemplate
04       TargetType="{x:Type Button}"
05       x:Key="btn">
06
07     </ControlTemplate>
08   </StackPanel.Resources>
09   <Button Content="Save"
10     Template="{StaticResource btn}" />
11   <Button Template="{StaticResource btn}">
12     <TextBox Text="Save" />
13   </Button>
14 </StackPanel>
```

passleader.com

You need to ensure that both Button controls display the "Save" text. Which code fragment should you insert at line 06?

A. `<TextBlock Text="{Binding}" />` B. `<TextBlock Text="{TemplateBinding Content}" />` C. `<ContentPresenter Content="{Binding}" />` D. `<ContentPresenter />`

Answer: D Unabridged Pass4sure Microsoft [70-511 PDF Dumps Free Download](#)

